

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:	§
Eric C. Martin	§ Confirmation No.: 4916
SERIAL NO.: 10/036,445	§ Examiner: Not Yet Assigned
FILED: January 7, 2002	§ Group Art Unit: 3763
TITLE: A BIFURCATED STENT FOR PERCUTANEOUS ARTERIALIZATION OF THE CORONARY SINUS AND RETROGRADE PERFUSION OF THE MYOCARDIUM	§ § § § § §


LETTER TO THE OFFICIAL DRAFTSMAN

Assistant Commissioner for Patents
 Box Issue Fee
 Washington, D.C. 20231

Dear Sir:

In response to the Notice to File Corrected Application Papers, dated February 1, 2002, Applicant respectfully submits the attached six (6) sheets of Formal Drawings.

Respectfully submitted,



 John J. Vim
 Registration No. 47,197

Date: April 1, 2002

Fulbright & Jaworski L.L.P.
 801 Pennsylvania Avenue, N. W.
 Washington, D. C. 20004-2615
 Telephone: (202)662-0200



O P E
APR 01 2002
PATENT AND TRADEMARK OFFICE
UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/036,445	01/07/2002	Eric C. Martin	WO-370009 / 09400747

CONFIRMATION NO. 4916

FORMALITIES LETTER



OC00000007406137

FULBRIGHT & JAWORSKI L.L.P.
Robert J. Koch
Market Square
801 Pennsylvania Avenue, N.W.
Washington, DC 20004-2615

Date Mailed: 02/01/2002

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

Ted W

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE